



Significant Wildlife Habitat References


January, 2015

Ontario Ministry of Natural Resources and Forestry

Regional Operations Division:
Southern Region Resources Section:
300 Water Street, 4th Floor South
Peterborough, Ontario, Canada, K9J 8M5

Northeast Region Resources Section
5520 Highway 101, East Floor
South Porcupine, Ontario, Canada, P0N 1H0

Northwest Region Resources Section
435 James Street South, Suite 221-A
Thunder Bay, Ontario, Canada, P7E 6S7



SWH References

- i OMNR(1997). Natural Heritage Training Manual for Policy 2.3 of the Provincial Policy Statement, Version1.0. 141 pp.
- ii Bennun, L., Fishpool, L., Nagy, S. and I. Burfield. 2005. Monitoring Important Bird Areas: A Global Framework. Version 7 19-07-05. Bird Life International (unpub. Draft version).
- iii Chatterjee, A. and J. Pittock. 2005. Tracking Tool for Assessing Management. Effectiveness in Wetland Protected Areas. WWF.
- iv Diehl, R.H., Larkin, R.P and John E. Black. 2003. Radar Observation of Bird Migration Over the Great Lakes. *The Auk* 120(2): 278-290
- v Barrow, W.C. Jr., C.-C. Chen, R.B. Hamilton, K. Ouchley, and T.J. Spengler. 2000. Disruption and restoration of en route habitat, a case study: the Chenier Plain. *Studies in Avian Biology* 20: 71-87.
- vi Evans Ogden, L.J. 1996. Collision course; the hazards of lighted structures and windows to migrating birds. Toronto, ON: Prepared for the World Wildlife Fund Canada and the Fatal Light Awareness Program. 46 pp.
- vii Evans Ogden, L.J. 2002. Summary report on the Bird Friendly Building Program: effect of light reduction on collision of migratory birds. Toronto, ON: Prepared for the Fatal Light Awareness Program. 29 pp.
- viii Heglund, P.J., and S.K. Skagen. 2005. Ecology and physiology of en route nearctic-neotropical migratory birds: a call for collaboration. *Condor* 107: 193-196.
- ix Klem, D. Jr. 1990. Collisions between birds and windows: mortality and prevention. *Journal of Field Ornithology* 61: 120-128.
- x Klem, D. Jr. 1991. Glass and bird kills: an overview and suggested planning and design methods of preventing a fatal hazard. Pp. 99-102 in Adams, L.W., and D.L. Leedy, eds. *Wildlife conservation in metropolitan environments*. Columbia, MD: National Institute for Urban Wildlife.
- xi Simons, T.R., S.M. Pearson, and F.R. Moore. 2000. Application of spatial models to the stopover ecology of Trans-Gulf migrants. *Studies in Avian Biology* 20: 4-14
- xii Petit, D.R. 2000. Habitat use by landbirds along nearctic-neotropical migration routes: implications for conservation of stopover habitats. *Studies in Avian Biology* 20: 15-33.
- xiii Skagen S.K., J.F. Kelly, C. Van Riper III, R.L. Hutto, D.M. Finch, D.J. Krueper, and C.P. Melcher. 2005. Geography of spring landbird migration through riparian habitats in southwestern North America. *Condor* 107: 212-227.
- xiv Smith, R., M. Hamas, M. Dallman, and D. Ewert. 1998. Spatial variation in foraging of the Black-throated Green Warbler along the shoreline of northern Lake Huron. *Condor* 100: 474-484.
- xv Smith, R.J., F.R. Moore, and C.A. May. 2007. Stopover habitat along the shoreline of northern Lake Huron, Michigan: emergent insects as a food resource for spring migrating landbirds. *Auk* 124: 107-121.

- xvi Bildstein, K.L. 1987. Behavioral ecology of Red-tailed Hawks (*Buteo jamaicensis*), Rough-legged Hawks (*Buteo lagopus*), Northern Harriers (*Circus cyaneus*), and American Kestrels (*Falco sparverius*) in south central Ohio. Ohio Biological Survey Biological Notes 18. 53 pp.
- xvii Craighead, J.J., and F.C. Craighead, Jr. 1956. Hawks, owls and wildlife. Washington, DC: Wildlife Management Institute. 443 pp.
- xviii MacWhirter, R.B., and K.L. Bildstein. 1996. Northern Harrier (*Circus cyaneus*). In Poole, A., and F. Gill, eds. The birds of North America, No. 210. Philadelphia, PA: The Academy of Natural Sciences; Washington, DC: The American Ornithologists' Union. 31 pp.
- xix Temeles, E.J. 1987. The relative importance of prey availability and intruder pressure in feeding territory size regulation by harriers, *Circus cyaneus*. *Oecologia* 74: 286-297
- xx Enderson, J.H. 1960. A population study of the Sparrow Hawk in east-central Illinois. *Wilson Bulletin* 72: 222-231.
- xxi Mills, G.S. 1975. A winter population study of the American Kestrel in central Ohio. *Wilson Bulletin* 87: 241-247.
- xxii Sherwin, R.E., Altenbach, J.S. and P.E. Brown. 2000. Methods for Determining Local Mine Characteristics of Importance to Bats. Proceedings of Bat Conservation and Mining: A Technical Interactive Forum. Section 3:109-114. U.S. Department of Interior, Office of Surface Mining, Alton, Illinois and Coal Research Centre, Southern Illinois University, Carbondale, Illinois.
- xxiii Owen, S.F., Menzel, M.A. Ford, W.M., Edwards, J.W., Chapman, B.R., Miller, K.V. and P.B. Wood. 2002. Roost tree selection by maternal colonies of Northern Long-eared Myotis in an intensively managed forest. General Technical Report NE-292. USDA Forest Service, Northern Research Station.
- xxiv Ontario Ministry of Natural Resources. 2006. Wind turbines and bats: bat ecology background information and literature review of impacts. Wildlife Section and Renewable Energy Section.
- xxv Veilleux, J.P., Whitaker, J.O. and S.L. Veilleux. 2003. Tree-roosting ecology of reproductive female Eastern Pipistrelles, *Pipistrellus subflavus*, in Indiana. *Journal of Mammalogy* 84(3):1068-1075.
- xxvi Findley, J. S. 1964. Tree roosting of the Eastern Pipstrelle. *Journal of Mammalogy* 35(3): 433.
- xxvii Crampton, L. H. and R. R. Barclay. 1998. Selection of roosting and foraging habitat by bats in different-aged aspen mixedwood stands. *Conservation Biology*. 12(6):1347- 1351.
- xxviii Agosta, S.J. 2003. Habitat use, diet and roost selection by the Big Brown Bat (*Eptesicus fuscus*) in North America: in case for conserving an abundant species. *Mammal Society, Mammal Review* 32:179-198.
- xxix Jung, T.S., Thompson, I.D.. and R.D. Titman. 2004. Roost site selection by forest-dwelling male *Myotis* in central Ontario, Canada. *Forest Ecology and Management* 325-335.

- xxx Foster, R.W., Kurta, A., 1999. Roosting ecology of the northern bat (*Myotis septentrionalis*) and comparisons with the endangered Indiana bat (*Myotis sodalis*). *Journal of Mammalogy* 80:659–672.
- xxxi Gerson, H. 1984. Habitat Management Guidelines for Bats of Ontario. Ontario Ministry of Natural Resources. MNR# 516023 ISBN 07794-2347-X (Internet).
- xxxii Ontario Parks. 2000. Presqu'ile Provincial Park Management Plan. Queen's Printer 2000. p.7.
- xxxiii Environment Canada. 2007. National Wildlife Areas of Ontario: Prince Edward Point.
- xxxiv Parks Canada. 2007. Monarch Butterfly Migration. Accessed February 10, 2008.
- xxxv Environment Canada. 2007. National Wildlife Areas of Ontario: Long Point..
- xxxvi Shappert, P. 1996. Distribution, status and conservation of the Monarch butterfly, *Danaus plexippus* (L.), in Canada. York University Department of Biology.
- xxxvii Urquhart, F.A. 1987. The monarch butterfly: international traveller. Nelson-Hall, Chicago, 232 pp.
- xxxviii U.S. Fish and Wildlife Service. 2007. Monarch Butterfly migration and overwintering.
- xxxix Gibbs, D., Walton, R., Brower, L. and A.K. Davis. 2006. Monarch butterfly (*Lepidoptera: Nymphalidae*) migration monitoring at Chincoteague, Virginia and Cape May, New Jersey: a comparison of long-term trends. *Journal of the Kansas Entomological Society* 79(20):156-164.
- xl Meitner, C.J., Browner L.P. and A.K. Davis. 2004. Migration patterns and environmental effects on stopover of Monarch butterflies (*Lepidoptera, Nymphalidae*) at Peninsula Point, Michigan. *Population Ecology* 33(2):249-256.
- xli Walton, D., Brower, L.P. and A.K. Davis. 2005. Long-term monitoring and fall migration patterns of the monarch butterfly in Cape May, NJ. *Annals of the Entomological Society of America* 98(5):682-689.
- xlii Davis, A.K. and M.S. Garland. 2002. An evaluation of three methods of counting migrating monarch butterflies in varying wind conditions. *Southeastern Naturalist* 1(1):55-68.
- xliii Davis, A.K. 2005. Monarch Migration Association of North America: monitoring sites. Accessed February 12, 2008.
- xliv Toronto Zoo. no date. Habitat Conservation: Snake Hibernacula. Toronto Zoo Adopt-A-Pond Wetland Conservation Programme.
- xlv Fischer, L. 2002. COSEWIC status report on the Milksnake (*Lampropeltis triangulum*) in Canada. Committee on the Status of Endangered Wildlife in Canada. Ottawa. vi + 29pp.
- xlvi Coffin B. and L. Pfannmuller. 1988. Minnesota's Endangered Flora and Fauna. University of Minnesota Press, Minneapolis. 473 pp.
- xlvii Harding, J.H. 1997. Amphibians and Reptiles of the Great Lakes Region. The University of Michigan Press. 378 pp.

- xlviii Tyning, T.F. 1990. Stoke Nature Guides: A Guide to Amphibians and Reptiles. Little, Brown and Company, Boston. 400 pp.
- xlix Row, J.R. and B. Blouin-Demers. 2006. Thermal quality influences effectiveness of thermoregulation, habitat use and behaviour in milk snakes. *Oecologia* 148:1-11.
- l Smith, K. 2002. COSEWIC status report on the eastern ribbonsnake (*Thamnophis sauritus*) in Canada. Committee on the Status of Endangered Wildlife in Canada. Ottawa. vi + 24pp.
- li Carpenter, C.C. 1953. A study of hibernacula and hibernating associations of snakes and amphibians in Michigan. *Ecology* 34(1):74-80.
- lii Royal Ontario Museum. 2006. Species at risk profiles: Eastern Ribbon Snake. Accessed February 26, 2008.
- liii Parker, W.S. and W.S. Brown. 1973. Species composition and population changes in two complexes of snake hibernacula in northern Utah. *Herpetologica* 29(4):319-326.
- liv Nelson, M.E. 1998. Development of migratory behaviour in northern white-tailed deer. *Canadian Journal of Zoology* 76:426-432.
- lv Sabine, D.L., Morrison, S.F., Whitlaw, H.A., Ballard, W.B., Forbes, G.J. and J. Bowman. 2002. Migration behaviour of white-tailed deer under varying winter climate regimes in New Brunswick. *Journal of Wildlife Management* 66(3):718-728..
- lvi Brinkman, T.J., Deperno, C.S., Jenks, J.A., Haroldson, B.S. and R.G. Osborn. 2005. Movement of female white-tailed deer: effects of climate and intensive row-crop agriculture. *Journal of Wildlife Management* 69(3):1099-1111.
- lvii Fuller, T.K. 1991. Effect of snow depth on wolf activity and prey selection in north central Minnesota. *Canadian Journal of Zoology* 69(2):283-287..
- lviii Nelson, M.E. and L.D. Mech. 1986. Relationship between snow depth and gray wolf predation on white-tailed deer. *Journal of Wildlife Management* 50(3):471-474..
- lix Mech, L.D. 1977. Wolf-pack buffer zones as prey reservoirs. *Science* 198(4314):320-321.
- lx Ontario Ministry of Natural Resources. no date provided. The Why, When, What, and How of winter severity assessment in Ontario. The Snow Network for Ontario Wildlife.
- lxii Wisconsin Department of Natural Resources. 2008. The winter severity index. *Wildlife Management*.
- lxiii Lamoureux, V.S., Marez, J.C. and D.M. Madison. 2002. Premigratory autumn foraging forays in the Green Frog, *Rana clamitans*. *Journal of Herpetology* 36(2):245-254.
- lxiv Windmiller B.S. 1996. The pond, the forest, and the city: spotted salamander ecology and conservation in a human dominated landscape. Ph.D. Dissertation, Tufts University, Medford, Massachusetts, USA. From Burne and Griffin 2005.
- lxv Parsons, H. J., Smith, D. A. and R. F. Whittam. 1986. Maternity colonies of Silver-haired Bats, *Lasionycteris noctivagan*, in Ontario and Saskatchewan. *Journal of Mammalogy*. 67(3): 598-600..

- lxv Faccio, S.D. 2003. Post-breeding emigration and habitat use of radio-implanted Jefferson and spotted salamanders in Vermont. *Journal of Herpetology* 37(3): 479–489.
- lxvi Calhoun, A.J.K., Miller, N.A. and M.W. Klemens. 2005. Conserving pool-breeding amphibians in human-dominated landscapes through local implementation of Best Development Practices. *Wetlands Ecology and Management* 13:291-304.
- lxvii Stone J. 1992. Vernal pools in Massachusetts: aerial photographic identification, biological and physiographic characteristics, and state certification. Master's Thesis, University of Massachusetts, Amherst, Massachusetts, USA. From Burne and Griffin 2005.
- lxviii Grant, E.H., Jung, R.E., Nichols, J.D. and J.E. Hines. 2005. Double-observer approach to estimating egg mass abundance of pool-breeding amphibians. *Wetlands Ecology and Management* 13:305-320.
- lxix Semlitsch, R.D. and J.R. Bodie. 2003. Biological criteria for buffer zones around wetlands and riparian habitats for amphibians and reptiles. *Conservation Biology* 17(5):1219-1228.
- lxx Gibbs, J.P. 1998. Distribution of woodland amphibians along a forest gradient. *Landscape Ecology* 13:263-268.
- lxxi Calhoun, A. J. K. and P. deMaynadier. 2004. Forestry habitat management guidelines for vernal pool wildlife. MCA Technical Paper No. 6, Metropolitan Conservation Alliance, Wildlife Conservation Society, Bronx, New York.
- lxxii Burne, M.R. and C.R. Griffin. 2005. Habitat associations of pool-breeding amphibians in eastern Massachusetts, USA. *Wetlands Ecology and Management* 13: 247-259.
- lxxiii Burne, M.R. and C.R. Griffin. 2005. Habitat associations of pool-breeding amphibians in eastern Massachusetts, USA. *Wetlands Ecology and Management* 13: 247-259.
- lxxiv Stark, K.E., Lundholm, J.T. and D.W. Larson. 2003. Relationships between seed banks and spatial heterogeneity of North American alvar vegetation. *Journal of Vegetation Science* 14:205-212.
- lxxv Reschke, C., Reid, R., Jones, J., Feeney, T. and H. Potter. 1999. Conserving Great Lakes alvars: Technical report for the International Alvar Conservation Initiative. The Nature Conservancy on behalf of the Alvar Working Group.
- lxxvi Brownell, V.R. and J.L. Riley. 2000. The alvars of Ontario: significant alvar areas in the Ontario Great Lakes Region. Don Mills, Ontario. Federation of Ontario Naturalists.
- lxxvii Reid, R. and H. Potter. 2000. Area, quality and protection of special lakeshore communities – alvars (Indicator #8129). State of the Great Lakes Ecosystem Conference (SOLEC) 2000. Environment Canada.
- lxxviii Lee, H.T., Bakowsky, W.D. Riley, J., Bowles, J., Puddister, M., Uhlig, P. and S. McMurray. 1998. Ecological land classification for southern Ontario: first approximation and its application. Ontario Ministry of Natural Resources. Southcentral science section, Science Development and Transfer branch. SCSS Field Guide FG-02.

- lxxix Bakowsky, W. and J.L. Riley. 1994. A survey of the prairies and savannas of southern Ontario. 10pp. In: Wickett, Robert G., et al. (eds). Proceedings of the Thirteenth North American Prairie Conference: spirit of the land, our prairie legacy: held 6-9 August 1992, Windsor, Ontario, Canada. Windsor, Ontario: Department of Parks and Recreation, 1994 viii, 262 p. : ill., maps ; 28 cm.
- lxxx Rodger, L. 1998. Tallgrass communities of southern Ontario: a recovery plan. Prepared for World Wildlife Fund Canada and the Ontario Ministry of Natural Resources. 66op.
- lxxxi Bakowsky, W. and J.L. Riley. 1994. A survey of the prairies and savannas of southern Ontario. 10pp. In: Wickett, Robert G., et al. (eds). Proceedings of the Thirteenth North American Prairie Conference: spirit of the land, our prairie legacy: held 6-9 August 1992, Windsor, Ontario, Canada. Windsor, Ontario: Department of Parks and Recreation, 1994 viii, 262 p. : ill., maps ; 28 cm.
- lxxxii Lee, J.T., Woddy, S.J. and S. Thompson. 2001. Targeting sites for conservation: using a patch-based ranking scheme to assess conservation potential. *Journal of Environmental Management* 61:367-380.
- lxxxiii Rodger, L. 1998. Tallgrass communities of southern Ontario: a recovery plan. Prepared for World Wildlife Fund Canada and the Ontario Ministry of Natural Resources. 66op.
- lxxxiv Kingsbury, B. and J. Gibson, eds. 2002. Habitat Management Guidelines for Amphibians and Reptiles of the Midwest: Exposed Rock and Sand. Partners in Amphibian and Reptile Conservation.
- lxxxv Allen, G.M. 2002. COSEWIC Status Report of Forked Three-awned Grass (*Aristida basiramea*). COSEWIC. 28 pages.
- lxxxvi Newhouse, N. and T. Kinley. 1999. Update COSEWIC Status Report on American Badger (*Taxidea taxus*). COSEWIC. 24 pp.
- lxxxvii Ontario Ministry of Natural Resources. 2006. Forest management guide to the protection of Osprey nests. Forest Management Branch, Ontario Ministry of Natural Resources. 37 pp.
- lxxxviii Armstrong, E.R., and D. Euler. 1983. Habitat usage of two woodland Buteo species in central Ontario. *Canadian Field-Naturalist* 97: 200-207.
- lxxxix Goodrich, L.J., S.C. Crocoll, and S.E. Senner. 1996. Broad-winged Hawk (*Buteo platypterus*). In Poole, A., and F. Gill, eds. *The birds of North America*, No.218. Philadelphia, PA: The Academy of Natural Sciences; Washington, DC: The American Ornithologists' Union. 27 pp.
- xc Reynolds, R.T., E.C. Meslow, and H.M. Wight. 1982. Nesting habitat of coexisting Accipiter in Oregon. *Journal of Wildlife Management* 46: 124-138.
- xci Squires, J.R., and R.T. Reynolds. 1997. Northern Goshawk (*Accipiter gentilis*). In Poole, A., and F. Gill, eds. *The birds of North America*, No. 298. Philadelphia, PA: The Academy of Natural Sciences; Washington, DC: The American Ornithologists' Union. 31 pp.
- xcii Woodbridge, B., and P.J. Detrich. 1994. Territory occupancy and habitat patch size of Northern Goshawks in the southern Cascades of California. *Studies in Avian Biology* 16: 83-87.
- xciii Bartelt, P.E. 1974. Management of the American Goshawk in the Black Hills National Forest. M.Sc. thesis, University of South Dakota. 102 pp.

- xciv Reynolds, R.T., and H.M. Wight. 1978. Distribution, density, and productivity of Accipiter hawks breeding in Oregon. *Wilson Bulletin* 90: 182-196.
- xcv Iversen, G.C., G.D. Hayward, K. Titus, E. DeGayner, R.E. Lowell, D.C. Crocker-Bedford, P.F. Schempf, and J. Lindell. 1996. Conservation assessment for the Northern Goshawk in southeast Alaska. United States Department of Agriculture, Forest Service, General Technical Report PNW-GTR-387. 101 pp.
- xcvi Reynolds, R.T. 1983. Management of western coniferous forest habitat for nesting accipiter hawks. United States Department of Agriculture, Rocky Mountain Forest and Range Experiment Station, General Technical Report RM-102. 7 pp.
- xcvii Sandilands, A. 2005. Birds of Ontario: habitat requirements, limiting factors, and status. Volume 1: nonpasserines, waterfowl through cranes. Vancouver, BC: UBC Press. 365 pp.
- xcviii Rosenfield, R.N., and J. Bielefeldt. 1992. Natal dispersal and inbreeding in the Cooper's Hawk. *Wilson Bulletin* 104: 182-184.
- xcix Coleman, J.L., D.M. Bird, and E.A. Jacobs. 2002. Habitat use and productivity of Sharp-shinned Hawks nesting in an urban area. *Wilson Bulletin* 114: 467-473.
- c Bildstein, K.L., and K. Meyer. 2000. Sharp-shinned Hawk (*Accipiter striatus*). In Poole, A., and F. Gill, eds. *The birds of North America*, No. 482. Philadelphia, PA: The Birds of North America, Inc. 27 pp.
- ci Allen, A.W. 1987. Habitat suitability index models: Barred Owl. United States Fish and Wildlife Service Biological Report 82 (10.143). 17 pp.
- cii Askins, R.A., and M.J. Philbrick. 1987. Effect of changes in regional forest abundance on the decline and recovery of a forest bird community. *Wilson Bulletin* 99: 7-21.
- ciii Sharp, M.J., and C.A. Campbell. 1982. Breeding ecology and status of Red-shouldered Hawks (*Buteo l. lineatus*) in Waterloo Region, Ontario. *Ontario Field Biologist* 36: 1-10.
- civ Bryant, A.A. 1986. Influence of selective logging on Red-shouldered Hawks, *Buteo lineatus*, in Waterloo Region, Ontario 1953-1978. *Canadian Field-Naturalist* 100: 520-525.
- cv Robbins, C.S., D.K. Dawson, and B.A. Dowell. 1989. Habitat area requirements of breeding forest birds of the middle Atlantic States. Washington, DC: The Wildlife Management Institute, Wildlife Monographs 103. 34 pp.
- cvi James, R.D. 1984a. Habitat management guidelines for Ontario's forest nesting accipiters, buteos and eagles. Prepared for the Ontario Ministry of Natural Resources. 23 pp.
- cvi COSEWIC. 2002. COSEWIC assessment and status report on the Northern Map Turtle *Graptemys geographica* in Canada. Committee on the Status of Endangered Wildlife in Canada. Ottawa. vi + 34pp.
- cvi Konze, Karl and McLaren, Margaret. 1997. Wildlife Monitoring Programs and Inventory Techniques for Ontario. Ontario Ministry of Natural Resources. Northeast Science and Technology. Technical Manual TM-009. 139 pp

- cix Crocker , C.E., Feldmman, R.A., Ultsch, G.R. and D.C. Jackson. 2000. Overwintering behaviour and physiology of eastern painted turtles (*Chrysemys picta picta*) in Rhode Island. Canadian Journal of Zoology 78(6):936.
- cx Ultsch GR. 2006. The ecology of overwintering among turtles: where turtles overwinter and its consequences. Biol Rev Camb Philos Soc. 81(3):339-367.
- cxi Brown, G.P. and R.J. Brooks. 1994. Characteristics of and fidelity to hibernacula in a northern population of Snapping Turtles, *Chelydra serpentina*. Copeia 1994(1):p.222.
- cxii MacCulloch, R.D. 2002. ROM field guide to: amphibians and reptiles of Ontario. Royal Ontario Museum. 168pp.
- cxiii Royal Ontario Museum. 2005. Species at risk profiles: Northern Map Turtle.
- cxiv Toronto Zoo. no date. Turtle Nesting Areas: Existing Knowledge. Toronto Zoo Adopt-A-Pond Wetland Conservation Programme, Habitat Conservation section.
- cxv Idham, M.J. and W.F. Weller. 2000. Ontario Herpetofaunal Atlas. Natural Heritage Information Centre, Ontario Ministry of Natural Resources. Available online: <http://www.mnr.gov.on.ca/MNR/nhic/herps/ohs.html> (updated 15-01-2001).
- cxvi Johnson, B. and L. Sealock. no date. Turtle Curriculum: Turtles of Ontario Fact Sheets. Toronto Zoo Adopt-A-Pond Wetland Conservation Programme, Resources.
- cxvii Endangered Species Act 2007. R.S.O. 1990. Bill 184, Schedule 1 c.7a.
- cxviii Perkins, D.W. and M.L. Hunter. 2006. Use of amphibians to determine riparian zones of headwater streams. Canadian Journal of Forest Research 36:2124-2130.
- cxix New York State. 2008. Wild Turkey winter habitat. New York State Department of Environmental Conservation. Accessed February 27, 2008.
- cxx Haulton, S.G., Stauffer, D.F. and R.L. Kirkpatrick. 2003. Ruffed Grouse (*Bonasa umbellus*) brood microhabitat selection in the southern Appalachians. American Midland Naturalist 150:95-103.
- cxxi Glennon, M.J. and W.F. Porter. 1999. Using satellite imagery to assess landscape-scale habitat for wild turkeys. *Wildlife Society Bulletin* 27(3):646.
- cxxii Healy, W.M. and M.J. Casalena. 2008. Spring seep management for wild turkeys and other wildlife. National Wild Turkey Federation Wildlife Bulletin No. 20.
- cxxiii Nguyen, L.P., Hamr, J. and G.H. Parker. 2003. Survival and reproduction of wild turkey hens in central Ontario. *Willson Bulletin* 115(2):131-139.
- cxxiv Kirk, D., Csizy, M., Weeker, R., Francis, C. and J. McCracken. 2001. Habitat Associations of Marsh-nesting Birds in the Great Lakes Basin: Implications for Local Conservation and Management
- cxxv Crozier, G.E., and G.J. Niemi. 2003. Using patch and landscape variables to model bird abundance in a naturally heterogeneous landscape Canadian Journal of Zoology 81: 441-452.

- cxxvi Hobson, K.A., and E. Bayne. 2000. Effects of forest fragmentation by agriculture on avian communities in the southern boreal mixedwoods of western Canada. *Wilson Bulletin* 112:373-387.
- cxxvii Steeger, C., M. Machmer, and E. Walters. 1996. Ecology and management of woodpeckers and wildlife trees in British Columbia. *Fraser River Action Plan*, Environment Canada. 23 pp.
- cxxviii Gauthier, J., and Y. Aubry, eds. 1996. *The breeding birds of Québec*. Montreal, QC: Association Québécoise des Groupes d'Ornithologues, the Province of Quebec Society for the Protection of Birds, and the Canadian Wildlife Service. 1302 pp.
- cxxix James, R.D. 1984b. Habitat management guidelines for cavity-nesting birds in Ontario. Prepared for the Ontario Ministry of Natural Resources. 40 pp.
- cxxx Cheskey, E.D. 1990. Red-breasted Nuthatch nesting in residential Waterloo. *Ontario Birds* 8: 71-75
- cxxxi James, R.D. 1984c. Habitat management guidelines for warblers of Ontario's northern coniferous forests, mixed forests or southern hardwood forests. Prepared for the Ontario Ministry of Natural Resources. 31 pp.
- cxxxii Lynch, J.F., and D.L. Wigham. 1984. Effects of forest fragmentation on breeding bird communities in Maryland, U.S.A. *Biological Conservation* 28: 287-324.
- cxxxiii Whitcomb, R.F., C.S. Robbins, J.F. Lynch, M.K. Klimkiewicz, B.L. Whitcomb, and D. Bystrak. 1981. Effects of forest fragmentation on avifauna of the eastern deciduous forest. Pp. 125-206 in Burgess, R.L., and D.M. Sharpe, eds. *Forest island dynamics in man-dominated landscapes*. New York, NY: Springer-Verlag, Ecological Studies, Volume 41.
- cxxxiv Blake, J.G., and J.R. Karr. 1984. Species composition of bird communities and the conservation benefit of large versus small forests. *Biological Conservation* 30: 173-187.
- cxxxv Robbins, C.S. 1979. Effect of forest fragmentation on bird populations. Pp. 198-212 in DeGraaf, R.M., and K.E. Evans, eds. *Management of northcentral and northeastern forests for nongame birds*. United States Department of Agriculture, Forest Service General Technical Report NC-51. 268 pp.
- cxxxvi Morse, D.H. 1993. Black-throated Green Warbler (*Dendroica virens*). In Poole, A., and F. Gill, eds. *The birds of North America*, No. 55. Philadelphia, PA: The Academy of Natural Sciences; Washington, DC: The American Ornithologists' Union. 19 pp.
- cxxxvii Askins, R.A., and M.J. Philbrick. 1987. Effect of changes in regional forest abundance on the decline and recovery of a forest bird community. *Wilson Bulletin* 99: 7-21.
- cxxxviii Freemark, K.E., and B. Collins. 1992. Landscape ecology of birds breeding in temperate forest fragments. Pp. 443-454 in Hagan, J.M. III, and D.W. Johnston, eds. *Ecology and conservation of neotropical migrant landbirds*. Washington, DC: Smithsonian Institution Press. 609 pp.
- cxxxix Bushman, E.S., and G.D. Terres. 1988. Habitat management guidelines for forest interior breeding birds of coastal Maryland. *Maryland Department of Natural Resources, Wildlife Technical Bulletin* 88-1. 50 pp.

- cxl Howe, R.W. 1979. Distribution and behavior of birds on small islands in northern Minnesota. *Journal of Biogeography* 6: 379-390.
- cxli Rusterholz, K.A., and R.W. Howe. 1979. Species-area relations of birds on small islands in a Minnesota lake. *Evolution* 33: 468-477.
- cxlvi Holmes, R.T. 1994. Black-throated Blue Warbler (*Dendroica caerulescens*). In Poole, A., and F. Gill, eds. *The birds of North America*, No. 87. Philadelphia, PA: The Academy of Natural Sciences; Washington, DC: The American Ornithologists' Union. 21 pp.
- cxlvi Darveau, M., J.L. DesGranges, and G. Gauthier. 1992. Habitat use by three breeding insectivorous birds in declining maple forests. *Condor* 94: 72-82.
- cxlvi Burke, D.M., and E. Nol. 1998. Influence of food abundance, nest-site habitat, and forest fragmentation on breeding Ovenbirds. *Auk* 115: 96-104.
- cxlvi Mowbray, T.B. 1999b. Scarlet Tanager (*Piranga olivacea*). In Poole, A., and F. Gill, eds. *The birds of North America*, No. 479.. Philadelphia, PA: The Birds of North America, Inc. 27 pp.
- cxlvi Peck, G.K., and R.D. James. 1987. Breeding birds of Ontario: nidiology and distribution. Volume 2: passerines. Toronto, ON: Royal Ontario Museum, Life Sciences Miscellaneous Publications. 387 pp.
- cxlvi Hejl, S.J., J.A. Holmes, and D.E. Kroodsma. 2002b. Winter Wren (*Troglodytes troglodytes*). In Poole, A., and F. Gill, eds. *The birds of North America*, No. 623. Philadelphia, PA: The Birds of North America, Inc. 31 pp.
- cxlvi Ontario Ministry of Natural Resources. 2000. Significant Wildlife Habitat Technical Guide. Fish and Wildlife Branch. Wildlife Section. Science Development and Transfer Branch. Southcentral Sciences Section. 151 pp.
- cxlvi Ontario Ministry of Natural Resources. 2000. Significant Wildlife Habitat Technical Guide Appendix. Fish and Wildlife Branch. Wildlife Section. Science Development and Transfer Branch. Southcentral Sciences Section. 244 pp.
- cl Hamel, P.B. 2000a. Cerulean Warbler (*Dendroica cerulea*). In Poole, A., and F. Gill, eds. *The birds of North America*, No. 511. Philadelphia, PA: The Birds of North America, Inc. 19 pp.
- cli Peterjohn, B.G., and D.L. Rice. 1991. *The Ohio breeding bird atlas*. Columbus, OH: Ohio Department of Natural Resources.
- ccli Robbins et al. 1989 AND Robbins, C.S., J.W. Fitzpatrick, and P.B. Hamel. 1992. A warbler in trouble: *Dendroica cerulea*. Pp. 549-562 in Hagan, J.M. III, and D.W. Johnston, eds. *Ecology and conservation of neotropical migrant landbirds*. Washington, DC: Smithsonian Institution Press. 609 pp.
- ccli Bond, R.R. 1957. Ecological distribution of breeding birds in the upland forests of southern Wisconsin. *Ecological Monographs* 27: 351-384.
- cliv Wood, P.B., S.B. Bosworth, and R. Dettmers. 2006. Cerulean Warbler abundance and occurrence relative to large-scale edge and habitat characteristics. *Condor* 108: 154-165.
- clv Hamel, P.B. 2000a. Cerulean Warbler (*Dendroica cerulea*). In Poole, A., and F. Gill, eds. *The birds of North America*, No. 511. Philadelphia, PA: The Birds of North America, Inc. 19 pp.

- clvi Robinson, S.K., F.R. Thompson III, T.M. Donovan, D.R. Whitehead, and J. Faaborg. 1995. Regional forest fragmentation and the nesting success of migratory birds. *Science* 267: 1987-1990.
- clvii Hamel, P.B., R.J. Cooper, and W.P. Smith. 1998. The uncertain future of Cerulean Warblers in the Mississippi Alluvial Valley. Pp. 95-108 in Proceedings of the Delta Conference, Memphis, TN: United States Department of Agriculture, Natural Resource Conservation Service
- clviii McCracken, J. 1993. Status report on the Cerulean Warbler *Dendroica cerulea* in Canada. Prepared for the Committee on the Status of Endangered Wildlife in Canada. 31 pp.
- clix Hamel, P.B. 2000b. Cerulean Warbler status assessment. Stoneville, MS: United States Fish and Wildlife Service. 141 pp.
- clx Bollinger, E.K., Gavin, T.A., and D.C. McIntyre. 1988. Comparison of transects and circular plots for estimating Bobolink densities. *Journal of Wildlife Management* 52: 777-786.
- clxi Herkert, J.R. 1991. Prairie birds of Illinois: population response to two centuries of habitat change. *Illinois Natural History Survey Bulletin* 34: 393-399.
- clxii Swanson, D.A. 1996. Nesting ecology and nesting habitat requirements of Ohio's grassland-nesting birds: a literature review. Columbus, OH: Ohio Department of Natural Resources. Ohio Fish and Wildlife Report 13. 60 pp.
- clxiii Davis, S.K. 2004. Area sensitivity in grassland passerines: Effects of patch size, patch shape, and vegetation structure on bird abundance and occurrence in southern Saskatchewan. *Auk* 121: 1130-1145.
- clxiv Johnson, D.H., and L.D. Igl. 2001. Area requirements of grassland birds: a regional perspective. *Auk* 118: 24-34.
- clxv Vickery, P.D., M.L. Hunter, Jr., and S.M. Melvin. 1994. Effects of habitat area on the distribution of grassland birds in Maine. *Conservation Biology* 8: 1087-1097.
- clxvi Bollinger, E.K. 1995. Successional changes and habitat selection in hayfield bird communities. *Auk* 112: 720-730.
- clxvii Jones, A.L., and P.D. Vickery. 1995. Distribution and population status of grassland birds in Massachusetts. *Bird Observer* 23: 89-96.
- clxviii Walk, J.W., and R.E. Warner. 1999. Effects of habitat area on the occurrence of grassland birds in Illinois. *American Midland Naturalist* 141: 339-344.
- clxix Cadman, M.D. 1993. Status report on the Northern Harrier *Circus cyaneus* in Canada. Prepared for the Committee on the Status of Endangered Wildlife in Canada. 35 pp.
- clxx Austen, M.J.W., M.D. Cadman, and R.D. James. 1994. Ontario birds at risk: status and conservation needs. Toronto and Port Rowan, ON: Federation of Ontario Naturalists and Long Point Bird Observatory. 165 pp.
- clxxi Eastern Ontario Natural Heritage working Group. 2003. Eastern Ontario Wetland Valuation System: First Approximation. Technical Report prepared by Burns, C. and P. Wilson. v + 39pp.

- clxxii Rittenhouse, C.D., Dijak, W.D., Thompson, III, F.R., and J.J. Millspaugh. 2007. USDA, Forest Service, Northern Research Station, General Technical Report NRS-4.
- clxxiii Rodewald, A.D. & A.C. Vitz. 2005. Edge- and area-Sensitivity of Shrubland Birds. *The Journal of Wildlife Management* 69(2): 681-688.
- clxxiv Baldwin, R.F., Calhoun, A.K. and P.G. DeMaynadier. 2006. Conservation planning for amphibian species with complex habitat requirements: a case study using movements and habitat selection of the wood frog *Rana sylvatica*. *Journal of Herpetology* 40(4):442-453.
- clxxv Kingsbury, B. and J. Gibson, eds. 2002. Habitat Management Guidelines for Amphibians and Reptiles of the Midwest: Ephemeral Ponds. Partners in Amphibian and Reptile Conservation.
- clxxvi Vasconcelos, D. and A.K. Calhoun. 2004. Movement patterns of adult and juvenile *Rana sylvatica* and *Ambystoma maculatum* in three restored seasonal pools in Maine. *Journal of Herpetology* 38(4):551.
- clxxvii Mazerolle, M.J., and A. Desrochers. 2005. Landscape resistance to frog movements. *Canadian Journal of Zoology* 83:455-464.
- clxxviii Gibbons, J.W., Winne, C.T., Scott, D.E., Willson, J.D., Glaudas, X., K.M. Andrews, B.D. Todd, L.A. Fedewa, L. Wilkinson, R.N. Tasaliagos, S.J. Harper, J.L. Greene, T.D. Tuberville, B.S. Metts, M.E. Dorcas, J.P. Nestor, C.A. Young, T. Arke, R.N. Reed, K.A. Buhlman, J. Norman, D.A. Croshaw, C. Hagen, and B.B. Rothermel. 2005. Remarkable amphibian biomass and abundance in an isolated wetland: implications for wetland conservation. *Conservation Biology* 20:1457-1465.
- clxxix Shoop, C.R. 1968. Migratory orientation of *Ambystoma maculatum*: movements near breeding ponds and displacements of migrating individuals. *Biological Bulletin* 135:230-238.
- clxxx Calhoun, A.J.K., and M.W. Klemens. 2002. Best development practices: conserving pool-breeding amphibians in residential and commercial developments in the northeastern United States. Bronx, NY: Metropolitan Conservation Alliance, Wildlife Conservation Society, MCA Technical Paper 5. 57 pp.
- clxxxi Porej, D., Micacchion, M., and T.E. Hetherington. 2004. Core terrestrial habitat for conservation of local populations of salamanders and wood frogs in agricultural landscapes. *Biological Conservation* 120:399-409.
- clxxxii Environment Canada. 2004. How much habitat is enough? A framework for guiding habitat rehabilitation in Great lakes areas of concern, 2nd ed. Great Lakes Sustainability Fund and Canadian Wildlife Service – Ontario Region. Ministry of the Environment. 80pp.
- clxxxiii Hoskinson, R.L. and L.D. Mech. 1976. White-tailed deer migration and its role in wolf predation. *Journal of Wildlife Management* 40(3):429-441.
- clxxxiv Government of Australia. 2004. North east New South Wales: Wildlife Corridors. Natural Resource Advisory Series Note 15. Environment Protection and Regulation Division, Department of Environment and Conservation.
- clxxxv Ontario Ministry of Natural Resources. 2007. Bear wise – bears travel a long way.

- clxxxvi Young, V.H., Elliott, R.E., Hofstede, E., Dobbyn, J. and R.E. Harris. 1996. Bruce Peninsula National Park mammal inventory (vol IV) Final Report. Canadian Parks Service File CR92-26. 1-203. In: Howe, E.J. 2002. Population viability analysis for black bears (*Ursus americanus*) on the Bruce Peninsula, Ontario, Canada. M.Sc. thesis submitted to the Committee on Graduate Studies. Trent University.
- clxxxvii Brown, L; Obbard, M.E. and W.D. Towill. 1999. The ecology of northern Ontario black bear in relation to mixedwood forests. Ontario Ministry of Natural Resources, Peterborough, Ontario. 17pp. In: Howe, E.J. 2002. Population viability analysis for black bears (*Ursus americanus*) on the Bruce Peninsula, Ontario, Canada. M.Sc. thesis submitted to the Committee on Graduate Studies. Trent University.
- clxxxviii Howe, E.J. 2002. Population viability analysis for black bears (*Ursus americanus*) on the Bruce Peninsula, Ontario, Canada. M.Sc. thesis submitted to the Committee on Graduate Studies. Trent University. Library and Archives Canada.
- clxxxix Burrows, F., Schlosser, K., Calhoun, J. and M. Obbard 2005. Bruce Peninsula Black Bear Study Progress Report 1998-2002. Parks Canada internal report, 87pp.
- cxc Coady, M. 2005. A distance-based analysis of seasonal habitat use and den site selection by American black bears (*Ursus americanus*) on the Bruce Peninsula, Ontario. M.Sc. thesis submitted to the Committee on Graduate Studies. Trent University. Library and Archives Canada.
- cxcii Howe, E.J., M.E. Obbard, and J.A. Schaefer. 2007. Extirpation risk of an isolated black bear population under different management scenarios. Journal of Wildlife Management 71(2):603-612.
- cxcii Rogers, L.L. and A.W. Allen. 1987. Habitat suitability index models: black bear, upper Great Lakes Region. U.S. Fish and Wildlife Service. Biological Report 82 (10.144). 54pp.
- cxciii Zapisocki, R. Todd, M., Bonar, R., Beck, J., Beck, B., and R. Quinlan. 1998. Black bear summer/fall habitat: habitat suitability index model version 5. Foothills Model Forest, Weldwood of Canada Ltd, Department of Renewable Resources University of Alberta and Natural Resources Services.
- cxciv Voigt, D.R., J.D. Broadfoot, and J.A. Baker. 1997. Forest Management Guidelines for the Provision of White-tailed Deer Habitat. Queen's Printer for Ontario. 33pp.
- cxcv Ranta, W. Bruce. 1998. Selected Wildlife and Habitat Features: Inventory Manual. Queen's Printer for Ontario. 217pp.
- cxcvi OMNR. 1987. Bald Eagle Habitat Management Guidelines. Wildlife Branch. 18pp.
- cxcvii OMNR 1998. A silvicultural guide for Great Lakes St. Lawrence conifer forest in Ontario. Ont. Min. Nat. Resour. Queen's Printer for Ontario. Toronto. 424p.
- cxcviii Szuba, K. and Naylor, B. 1998. Forest Raptors and Their Nests in Central Ontario. A guide to Stick Nests and Their Users. Ont. Min. Nat. Resours. Queen's Printers for Ontario. 78p.

- cxcix Reschke, C. Cryan, P.M. 2003. Seasonal distribution of migratory tree bats (*Lasiurus* and *Lasionycteris*) in North America. *Journal of Mammalogy* 84(2):580.
- Reid, R., Jones, J., Feeney, T. and H. Potter. 1999. Conserving Great Lakes alvars: Technical report for the International Alvar Conservation Initiative. The Nature Conservancy on behalf of the Alvar Working Group.
- cc OMNR. 1984. Management Guidelines For the Protection of Heronries in Ontario. Wildlife Branch. Ontario Ministry of Natural Resources. 44p.
- cci Guiasu, R.C. 2007. Conservation and diversity of the crayfishes of the genus *Fallicambarus* Hobbs, 1969 (Decapoda, Cambaridae), with an emphasis on the status of *Fallicambarus fodiens* (Cottle, 1863) in Canada. *Crustaceana* 80(2):207-223.
- ccii Punzalan, D., Guiasu, R.C., Belchior, D. and D.W. Dunham. 2001. Discrimination of conspecific-built chimneys from human built ones by the burrowing crayfish, *Fallicambarus fodiens* (Decapoda, Cambaridae). *Invertebrate Biology* 120(1):58-66.
- cciii Cryan, P.M. 2003. Seasonal distribution of migratory tree bats (*Lasiurus* and *Lasionycteris*) in North America. *Journal of Mammalogy* 84(2):580.
- cciv Ontario Ministry of Natural Resources. 2007. DRAFT Guideline to assist in the review of wind power proposals: potential impacts to bats and bat habitats. Wildlife Section and Renewable Energy Section, Ministry of Natural Resources.
- ccv OMNR. 2011. Bats and Bat Habitats Guidelines for Wind Power Projects. Ontario Ministry of Natural Resources, Queen's Printer. 24p
- ccvi OMNR 1997. Field Guide to Forest Ecosystems of Central Ontario. Toronto: Queen's printer for Ontario. 200 pp.
- ccvii OMNR. 2010. Forest Management Guide for Conserving Biodiversity at the Stand and Site Scales. Toronto: Queen's Printer for Ontario. 211 pp
- ccviii Reschke, C., Reid, R, Jones, J., Feeney, T. and Potter, H. 1999. Conserving Great Lakes Alvars. International Alvar Conservation Initiative. The nature Conservancy, Great Lakes Program, Chicago, IL. 241pp.
- ccix Yates, M.D. and Muzika, R.M. 2006. Effect of Forest Structure and Fragmentation on Site Occupancy of Bat Species in Missouri Ozark Forests. *The Journal of Wildl. Man.* 70(5) pp1238-1248.
- ccx Bats Conservation International, 2010. Species Profiles.
<http://www.batcon.org>
- ccxi OMNR 2010. Bird and Bird Habitats: Guidelines for Wind Power Projects. Ontario Ministry of Natural Resources, Queen's Printer. 31pp.
- ccxii Taylor, D.A.R. 2006. Forest Management and Bats. Bat Conservation International. <http://www.batcon.org>. 16pp.
- ccxiii Gordon, A.G. 1990. The Red Spruce Option: Red Spruce and Hemlock Connection in Regenerating Conifer Cover in Deer Yards. OMNR Central Ontario Forest Technology Development Unit. Technical Report No. 28. pgs 99-114.
- ccxiv Watt, R.W. and M.C. Caceres. 1999. Managing for Snags in the Boreal Forests of Northeastern Ontario. OMNR. Northeast Science and Technology. Technical Note- 016. 20p.

- ccxv Dzal, Y., L.A. Hooton, E.L. Clare and M.B. Fenton. 2009. Bat activity and genetic diversity at Long Point, an important bird stopover site. *Acta Chiropterologica*, 11(2):307-315.
- ccxvi Crins, William J., Paul A. Gray, Peter W.C. Uhlig, and Monique C. Wester. 2009. The Ecosystems of Ontario, Part I: Ecozones and Ecoregions. Ontario Ministry of Natural Resources, Peterborough Ontario, Inventory, Monitoring and Assessment, SIB TER IMA TR- 01, 71pp.
- ccxvii Obbard, Martin E., Melissa B. Coady, Bruce A. Pond, James A. Schaefer, and Frank G. Burrows. 2010. A distance-based analysis of habitat selection by American black bears (*Ursus americanus*) on the Bruce peninsula, Ontario, Canada. *Can. J. Zool.* 88:1063-1076.
- ccxviii Bonter, David N, Gauthreaux JR., Sidney A., and Therese M. Donovan. 2008. Characteristics of Important Stopover Locations for Migrating Birds: Remote Sensing with Radar in the Great Lakes Basin. *Conservation Biology*, Vol. 23, No. 2, 440-448.
- ccxix United States Department of Agriculture. 1999. Sharp-tailed Grouse (*Tympanuchus phasianellus*) Fish and Wildlife Habitat Management Guide sheet, Natural Resources Conservation Service – Minnesota. 6pp
- ccxx Ontario Ministry of Natural Resources. 2009a. Ecological Land Classification Field Manual – Operational Draft, April 20th, 2009. Ecological Land Classification Working Group, Ontario. Unpublished manual.
- ccxxi Noble, T.W. 1982. Life Science Report Site Region 3E Northern Region. P.22.
- ccxxii Riley, J.L. 1994. Peat and peatland resources of northeastern Ontario. Ontario Geological Survey, Miscellaneous Paper 153. 155p.
- ccxxiii Uhlig, P., A. Harris, G. Craig, C. Bowling, B. Chambers, B. Naylor and G. Beemer. 2001. Old growth forest definitions for Ontario. Ont. Min. Nat. Res., Queen's Printer for Ontario, Toronto, ON. P.53.
- ccxxiv Yagi, A.R. and A. Timmerman. 2009. Ancaster Wintering Deer Survey 2009 – With Management Recommendations, unpublished report for the Hamilton Conservation Authority. 37pp.
- ccxxv Giles, R.H. and H.S Mosby. 1969. Wildlife Management Techniques, third edition. The Wildlife Society, Ann Arbor, Mi., USA. 633pp.